

Truck Weighbridge – THE MODULAR

Modular Truck weighbridge for surface or flush mounting

- **solid design**
 - **safely to last**
 - **convenient price**



- to be used in all industrial and commercial fields, waste disposal and recycling companies, construction and non metallic mineral processing.
- Longevity and cost-saving installation
- Modular foundation and weighbridge designed of high quality prefabricated concrete elements and manufactured according to DIN 8119
- Bridge modules of concrete quality B55, granting high resistance to salt water and dew
- Verifiable according to precision class III
- With analogue compression stainless steel load cells (protection class IP68), according to CE-guidelines and OIML-recommendations
- Optionally deliverable with state-of-the-art digital load cells!



Technical data

Bridge size length x width	Installation depth	Weighing range (kg)	Increments (kg)	Numbers of load cells
18 x 3 m	0,8 m	50 000	20	6
20 x 3 m	0,8	50 000	20	8

- other bridge length on demand
- other weighing ranges and increments on demand, e.g. duo-range-scales with increment of 10 kg up to weighing range 30000 kg and 20 kg for more than 30000 kg

Modular design simplifies installation

Prefabricated foundation elements are placed on at site prepared strip foundation.



Optional at site preparation of concrete foundation plate



- ✓ Optimized transport costs
- ✓ Time of installation and commissioning shortened.
- ✓ Each weighbridge module comprising an access for cleaning and maintenance.

Mounting example “the Modular”







With our digital weighing terminal series “DWT” and well-engineered software the truck weighbridge **THE MODULAR** is a highly productive weighing equipment (see product information weighing terminals “DWT” and weighing data management Winweigh).

Otions:

Many extras additionally offered, e.g. circumferential edge protection, ident-systems, traffic light systems, barriers, remote indicators, driver self terminals, software packages, digital load cells, rodent protection, etc.



Surface mounted



Pit mounted

Pfister Waagen Bilanciai GmbH

Linker Kreuthweg 9, 86444 Affing-Mühlhausen

T: +49 (0) 82 07 / 9 58 99 -0 - F: +49 (0) 82 07 / 9 58 99 -29

E: sales@pfisterwaagen.de - Internet: www.pfisterwaagen.de

Product information

No. 1276b

06/2011